Geotechnical Testing Journal
Author Index
Volume 21, 1998

Number	Month of Issue	Pages
1	March	1–78
2	June	79–158
3	September	159–280
4	December	281–381

A

Ag, A and Silva, AJ: Consolidation and permeability behavior of high porosity Baltic seabed sediments, Sept., 185

Al-Mhaidib, AI and Edil, TB: Model tests for uplift resistance of piles in sand, Sept., 213

Allam, MM: *see* Robinson, RG and Allam, MM

Apps, JA: *see* Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K

Arulnathan, R, Boulanger, RW, and Riemer, MF: Analysis of bender element tests, June, 120

Attom, MF: *see* Obaidat, MT and Attom, MF

B

Badv, K: *see* MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K

Boulanger, RW: *see* Arulnathan, R, Boulanger, RW, and Riemer, MF

C

Chameau, J-L: *see* Penumadu, D and Chameau, J-L

Chapman, DN: *see* Reddy, ES, Chapman, DN, and O'Reilly, M

Chapuis, RP: Discussion on "ultrasonic method for evaluation of annular seals for wells and instrumented holes" by N. Yesiller, T. B. Edil, and C. H. Benson, Dec., 370

Chen, Y-R: *see* Stewart, DP, Chen, Y-R, and Kutter, BL

Coop, MR: *see* Jovičić, V and Coop, MR

Cotton, TE, Davis, MM, and Shackelford, CD: Effects of test duration and specimen length on diffusion testing of unconfined specimens, June, 79

D

Davis, MM: *see* Cotten, TE, Davis, MM, and Shackelford, CD

Dusseault, M: *see* Fam, M and Dusseault, M

E

Edil, TB: *see* Al-Mhaidib, AI and Edil, TB

El Naggar, MH: Interpretation of lateral statnamic load test results, Sept., 169

Esaki, T: *see* Zhang, M, Takahashi, M, Morin, RH, and Esaki, T

F

Fam, M and Dusseault, M: Evaluation of surface-related phenomena using sedimentation tests, Sept., 180

Farrag, K: Development of an accelerated creep testing procedure for geosynthetics, Part II: Analysis, March, 38

G

Glaser, SD and Hand, HK: Imaging of rock fractures with low-frequency ultrasonic reflection/diffraction, Dec., 317

Gunasena, U: *see* Joer, HA, Randolph, MF, and Gunasena, U

Gutub, MZA and Khan, AM: Shear strength characteristics of Madinah clay with sand compaction piles, Dec., 356

H

Hanafy, EADE: Ring shrinkage test for expansive clays: a suggested simple test method for determining vertical, lateral, and volumetric shrinkage potential, March, 69

Hand, MK: *see* Glaser, SD and Hand, MK

Henry, KS and Patton, S: Measurement of the contact angle of water on geotextile fibers, March, 11

Higgins, JD: *see* Santi, PM and Higgins, JD

Hsu, H-H and Huang, A-B: Development of an axisymmetric field simulator for cone penetration tests in sand, Dec., 348

Huang, A-B: *see* Hsu, H-H and Huang, A-B

J

Joer, HA, Randolph, MF, and Gunasena, U: Experimental modeling of the shaft capacity of grouted driven piles, Sept., 159

Jovičić, V and Coop, MR: Measurement of stiffness anisotropy in clays with bender element tests in the triaxial apparatus, March, 3

K

Kantzas, A: *see* Walters, DA, Wong, RCK, and Kantzas, A

Khan, AM: *see* Gutub, MZA and Khan, AM

© 1998 by the American Society for Testing and Materials

Kita, K: *see* Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T

Kulhawy, FH: *see* Vidich, SD, Kulhawy, FH, and Trautmann, CH

Kutter, BL: *see* Stewart, DP, Chen, Y-R, and Kutter, BL

L

Lade, PV, Liggio, CD, and Yamamuro, JA: Effects of non-plastic fines on minimum and maximum void ratios of sand, Dec., 336

Lai, J and Olson, RI: Discussion on "consolidation of behavior of clayey soils under radial drainage" by A. Sridharan, K. Prakash, and S. R. Asha, March, 66

Lai, P: *see* Zhang, L, McVay, MC, and Lai, P

Liggio, CD: *see* Lade, PV, Liggio, CD, and Yamamuro, JA

M

MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K: New apparatus for measuring oxygen diffusion and water retention in soils, Dec., 289

Martin, GK: *see* Mayne, PW and Martin, GK

Mayne, PW and Martin, GK: Commentary on Marchetti flat dilatometer correlations in soils, Sept., 222

McVay, MC: *see* Zhang, L, McVay, MC, and Lai, P

Moridis, GJ: *see* Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K

Morin, RH: *see* Zhang, M, Takahashi, M, Morin, RH, and Esaki, T

N

Nagaraj, TS: *see* Thallak, SG, Nagaraj, TS, and Yaligar, P

Ni, B: *see* Zeng, X and Ni, B

O

O'Reilly, M: *see* Reddy, ES, Chapman, DN, and O'Reilly, M

Obaidat, MT and Attom, MF: Computer vision-based technique to measure displacement in selected soil tests, March, 31

Olson, RI: *see* Lai, J and Olson, RI

P

Patton, S: *see* Henry, KA and Patton, S

Penumadu, D and Chameau, J-L: Interpretation of model pressuremeter test using automated clay calibration chamber data, March, 18

Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K: Evaluation tests for colloidal silica for use in grouting applications, Sept., 264

Prakash, K
Discussion on "improved $\sqrt{t}$ method to evaluate consolidation test results" by S. K. Tewatia and K. Venkatachalam, June, 153
see Sridharan, A and Prakash, K

Prashanth, JP, Sivapullaiah, PV, and Sridharan, A: Compaction curves on volume basis, March, 58

Pruess, K: *see* Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K

R

Rajasekaran, G and Rao, SN: Particle size analysis of lime-treated marine clays, June, 109

Randolph, MF: *see* Joer, HA, Randolph, MF, and Gunasena, U

Rao, SN: *see* Rajasekaran, G and Rao, SN

Reddy, ES, Chapman, DN, and O'Reilly, M: Design and performance of soil-pile-slip test apparatus for tension piles, June, 132

Reddy, KR and Saichek, RE: Assessment of damage to geomembrane liners by shredded scrap tires, Dec., 307

Riemer, MF: *see* Arulnathan, R, Boulanger, RW, and Riemer, MF

Robinson, RG and Allam, MM: Analysis of consolidation data by a non-graphical matching method, June, 140

Rowe, RK: *see* MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K

S

Saichek, RE: *see* Reddy, KR and Saichek, RE

Santi, PM and Higgins, JD: Methods for predicting shale durability in the field, Sept., 195

Sassa, S: *see* Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T

Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T: Generation of progressive fluid waves in a geo-centrifuge, June, 95

Shackelford, CD: *see* Cotten, TE, Davis, MM, and Shackelford, CD

Shimamura, T: *see* Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T

Silva, AJ: *see* Ag, A and Silva, AJ

Sivapullaiah, PV: *see* Prashanth, JP, Sivapullaiah, PV, and Sridharan, A

Sridharan, A and Prakash, K: Mechanism controlling the shrinkage limit of soils, Sept., 240
see Tewatia, SK, Venkatachalam, K, and Sridharan, A
see Prashanth, JP, Sivapullaiah, PV, and Sridharan, A

Stewart, DP, Chen, Y-R, and Kutter, BL: Experience with the use of methylcellulose as a viscous pore fluid in centrifuge models, Dec., 365

Stinnette, P: Prediction of field compressibility from laboratory consolidation tests of peats and organic soils, Dec., 297

T

Takahashi, M: *see* Zhang, M, Takahashi, M, Morin, RH, and Esaki, T

Tewatia, SK
Evaluation of true C_v and instantaneous C_v, and isolation of of secondary consolidation, June, 102
and Venkatachalam, K, and Sridharan, A: T Chart to evaluate consolidation test results, Sept., 270

Thallak, SG, Nagaraj, TS, and Yaliger, P: Simplified method for assessment of volume change behavior of rockfill material, June, 144

Trautmann, CH: *see* Vidich, SD, Kulhawy, FH, and Trautmann, CH

V

Venkatachalam, K: *see* Tewatia, SK, Venkatachalam, K, and Sridharan, A

Vidich, SD, Kulhawy, FH, and Trautmann, CH: Laboratory modeling of inclined-loaded shafts in sand, Sept., 203

W

Walters, DA, Wong, RCK, and Kantzas, A: Application of computer-assisted tomography in the analysis of fracture geometry, Dec., 328

Wong, RCK: *see* Walters, DA, Wong, RCK, and Kantzas, A

Wu, J: *see* Zeng, X, Wu, J, and Young, BA

Y

Yaligar, P: *see* Thallak, SG, Nagaraj, TS, and Yaligar, P

Yamamuro, JA: *see* Lade, PV, Liggio, CD, and Yamamuro, JA

Yanful, EK: *see* MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K

Young, BA: *see* Zeng, X, Wu, J, and Young, BA

Z

Zeng, X
and Ni, B: Application of bender elements in measuring G_{max} of sand under K_0 condition, Sept., 251
and Wu, J. and Young, BA: Influence of viscous fluids on properties of sand, March, 45

Zhang, L, McVay, MC, and Lai, P: Centrifuge testing of vertically loaded battered pile groups in sand, Dec., 281

Zhang, M, Takahashi, M, Morin, RH, and Esaki, T: Theoretical evaluation of the transient response of constant head and constant flow-rate permeability tests, March, 52

Geotechnical Testing Journal
Subject Index
Volume 21, 1998

A

Anisotropy
Application of bender elements in measuring G_{max} of sand under K_0 condition (Zeng, X and Ni, B), Sept, 251

Atterberg Limits
Mechanism controlling the shrinkage limit of soils (Sridharan, A and Prakash, K), Sept., 240

C

Calibration chamber
Interpretation of model pressuremeter test using automated clay calibration chamber data (Penumadu, D and Chameau, J-L), March, 18

Capillary phenomena
Measurement of the contact angle of water on geotextile fibers (Henry, KS and Patton, S), March, 11

Centrifuge
Centrifuge testing of vertically loaded battered pile groups in sand (Zhang, L, McVay, MC, and Lai, P), Dec., 281
Experience with the use of methylcellulose as a viscous pore fluid in centrifuge models (Stewart, DP, Chen, Y-R, and Kutter, BL), Dec., 365
Generation of progressive fluid waves in a geo-centrifuge (Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T), June, 95

Clays
Commentary of Marchetti flat dilatometer correlations in soils (Mayne, PW and Martin, GK), Sept., 222
Discussion on "consolidation behavior of clayey soils under radial drainage" by A. Sridharan, K. Prakash, and S. R. Asha (Lai, J and Olson, RI), March, 66
Discussion on "improved $\sqrt{t}$ method to evaluate consolidation test results" by S. K. Tewatia and K. Venkatachalam (Prakash, K), June, 153
Evaluation of surface-related phenomena using sedimentation tests (Fam, M and Dusseault, M), Sept., 180
Interpretation of model pressuremeter test using automated clay calibration chamber data (Penumadu, D and Chameau, J-L), March, 18
Measurement of stiffness anisotropy in clays with bender element tests in the triaxial apparatus (Jovičić, V and Coop, MR), March, 3
Mechanism controlling the shrinkage limit of soils (Sridharan, A and Prakash, K), Sept., 240
Ring shrinkage test for expansive clays: a suggested simple test method for determining vertical, lateral, and volumetric shrinkage potential (Hanafy, EADE), March, 69
Shear strength characteristics of Madinah clay with sand compaction piles (Gutub, MZA and Khan, AM), Dec., 356
T chart to evaluate consolidation test results (Tewatia, SK, Venkatachalam, K, and Sridharan, A), Sept., 270

Coefficient of consolidation
Analysis of consolidation data by a non-graphical matching method (Robinson, RG and Allam, MM), June, 140
Evaluation of true C_v and instantaneous C_v, and isolation of secondary consolidation (Tewatia, SK), June, 102

Compaction
Compaction curves on volume basis (Prashanth, JP, Sivapullaiah, PV, and Sridharan, A), March, 58

Compressibilities
Analysis of consolidation data by a non-graphical matching method (Robinson, RG and Allam, MM), June, 140

Computer vision
Computer vision-based technique to measure displacement in selected soil tests (Obaidat, MT and Attom, MF), March, 31

Cone penetration tests
Development of an axisymmetric field simulator for cone penetration tests in sand (Hsu, H-H and Huang, A-B), Dec., 348

Consolidation
Discussion on "consolidation behavior of clayey soils under radial drainage" by A. Sridharan, K. Prakash, and S. R. Asha (Lai, J and Olson, RI), March, 66
Evaluation of true C_v and instantaneous C_v, and isolation of secondary consolidation (Tewatia, SK), June, 102
Prediction of field compressibility from laboratory consolidation tests of peats and organic soils (Stinnette, P), Dec., 297
T chart to evaluate consolidation test results (Tewatia, SK, Venkatachalam, K, and Sridharan, A), Sept., 270

Contaminated soils
Effects of test duration and specimen length on diffusion testing of unconfined specimens (Cotten, TE, Davis, MM, and Shackelford, CD), June, 79

Creep
Developments of an accelerated creep testing procedure for geosynthetics, Part II: Analysis (Farrag, K), March, 38

D

Diffraction
Imaging of rock fractures with low-frequency ultrasonic reflection/diffraction (Glaser, SD and Hand, MK), Dec., 317

Diffusion testing
Effects of test duration and specimen length on diffusion testing of unconfined specimens (Cotten, TE, Davis, MM, and Shackelford, CD), June, 79
New apparatus for measuring oxygen diffusion and water retention in soils (MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K), Dec., 289

Dilation
Commentary on Marchetti flat dilatometer correlations in soils (Mayne, PW and Martin, GK), Sept., 222

Drainage
Discussion on "improved $\sqrt{t}$ method to evaluate consolidation test results" by S. K. Tewatia and K. Venkatachalam (Prakash, K), June, 153

© 1998 by the American Society for Testing and Materials

Drainage systems
Discussion on "consolidation behavior of clayey soils under radial drainage" by A. Sridharan, K. Prakash, and S. R. Asha (Lai, J and Olson, RI), March, 66

Durability
Methods for predicting shale durability in the field (Santi, PM and Higgins, JD), Sept., 195

E

Elastic properties
Measurement of stiffness anisotropy in clays with bender element tests in the triaxial apparatus (Jovičić, V and Coop, MR), March, 3

F

Fabric
Measurement of stiffness anisotrophy in clays with bender element tests in the triaxial apparatus (Jovičić, V and Coop, MR), March, 3

Flow pump
Theoretical evaluation of the transient response of constant head and constant flow-rate permeability tests (Zhang, M, Takahashi, M, Morin, RH, and Esaki, T), March, 52

Fly ash
Compaction curves on volume basis (Prashanth, JP, Sivapullaiah, PV, and Sridharan, A), March, 58

Foundations
Laboratory modeling of inclined-loaded shafts in sand (Vidich, SD, Kulhawy, FH, and Trautmann, CH), Sept., 203

Fracture
Application of computer-assisted tomography in the analysis of fracture geometry (Walters, DA, Wong, RCK, and Kantzas, A), Dec., 328
Imaging of rock fractures with low-frequency ultrasonic reflection/diffraction (Glaser, SD and Hand, MK), Dec., 317

G

Geogrid
Development of an accelerated creep testing procedure for geosynthetics, Part II: Analysis (Farrag, K), March, 38

Grouting
Evaluation tests for colloidal silica for use in grouting applications (Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K), Sept., 264
Experimental modeling of the shaft capacity of grouted driven piles (Joer, HA, Randolph, MF, and Gunasena, U), Sept., 159

H

Hydraulic conductivity
Discussion on "ultrasonic method for evaluation of annular seals for wells and instrumented holes" by N. Yesiller, T. B. Edil, and C. H. Benson (Chapuis, RP), Dec., 370
Measurement of the contract angle of water on geotextile fibers (Henry, KS and Patton, S), March, 11

Hydraulic gradient
Theoretical evaluation of the transient response of constant head and constant flow-rate permeability tests (Zhang, M, Takahashi, M, Morin, RH, and Esaki, T), March, 52

L

Laboratory testing
Computer vision-based technique to measure displacement in selected soil tests (Obaidat, MT and Attom, MF), March, 31
Design and performance of soil-pile-slip test apparatus for tension piles (Reddy, ES, Chapmen, DN, and O'Reilly, M), June, 132
Effects of non-plastic fines on minimum and maximum void ratios of sand (Lade, PV, Liggio, CD, and Yamamuro, JA), Dec., 336

Lime
Particle size analysis of lime-treated marine clays (Rajasekaran, G and Rao, SN), June, 109

M

Marine clays
Particle size analysis of lime-treated marine clays (Rajasekaran, G and Rao, SN), June, 109

P

Permeability
Consolidation and permeability behavior of high porosity Baltic seabed sediments (Ag, A and Silva, AJ), Sept., 185
Discussion on "consolidation behavior of clayey soils under radial drainage" by A. Sridharan, K. Prakash, and S. R. Asha (Lai, J and Olson, RI), March, 66
Experimental modeling of the shaft capacity of grouted driven piles (Joer, HA, Randolph, MF, and Gunasena, U), Sept., 159
Influence of viscous fluids on properties of sand (Zeng, X, Wu, J, and Young, BA), March, 45
Interpretation of lateral statnamic load test results (El Naggar, MH), Sept., 169
Theoretical evaluation of the transient response of constant head and constant flow-rate permeability tests (Zhang, M, Takahashi, M, Morin, RH, and Esaki, T), March, 52

Porosity
Compaction curves on volume basis (Prashanth, JP, Sivapullaiah, PV, and Sridharan, A), March, 58
Experience with the use of methylcellulose as a viscous pore fluid in centrifuge models (Stewart, DP, Chen, Y-R, and Kutter, BL), Dec., 365

Pressuremeters
Interpretation of model pressuremeter test using automated clay calibration chamber data (Penumadu, D and Chameau, J-L), March, 18

R

Recycling
Assessment of damage to geomembrane liners by shredded scrap tires (Reddy, KR and Saichek, RE), Dec., 307

Resistivity
Model tests for uplift resistance of piles in sand (Al-Mhaidib, AI and Edil, TB), Sept., 213

Rockfill materials
Simplified method for assessment of volume change behavior of rockfill material (Thallak, SG, Nagaraj, TS, and Yaligar, P), June, 144

S

Sands
Application of bender elements in measuring G_{max} of sand under K_0 condition (Zeng, X and Ni, B), Sept., 251
Centrifuge testing of vertically loaded battered pile groups in sand (Zhang, L, McVay, MC, and Lai, P), Dec., 281
Development of an axisymmetric field simulator for cone penetration tests in sand (Hsu, H-H and Huang, A-B), Dec., 348
Effects of non-plastic fines on minimum and maximum void ratios of sand (Lade, PV, Liggio, CD, and Yamamuro, JA), Dec., 336

Influence of viscous fluids on properties of sand (Zeng, X, Wu, J, and Young, BA), March, 45

Laboratory modeling of inclined-loaded shafts in sand (Vidich, SD, Kulhawy, FH, and Trautmann, CH), Sept., 203

Model tests for uplift resistance of piles in sand (Al-Mhaidib, AI and Edil, TB), Sept., 213

Sedimentation analysis

Consolidation and permeability behavior of high porosity Baltic seabed sediments (Ag, A and Silva, AJ), Sept., 185

Evaluation of surface-related phenomena using sedimentation tests (Fam, M and Dusseault, M), Sept., 180

Settlement analysis

Prediction of field compressibility from laboratory consolidation tests of peats and organic soils (Stinnette, P), Dec., 297

Shales

Methods for predicting shale durability in the field (Santi, PM and Higgins, JD), Sept., 195

Shear modulus

Analysis of bender element tests (Arulnathan, R, Boulanger, RW, and Riemer, MF), June, 120

Shear strength

Shear strength characteristics of Madinah clay with sand compaction piles (Gutub, MZA and Khan, AM), Dec., 356

Shear wave

Analysis of bender element tests (Arulnathan, R, Boulanger, RW, and Riemer, MF), June, 120

Silica sand

Evaluation tests for colloidal silica for use in grouting applications (Persoff, P, Moridis, GJ, Apps, JA, and Pruess, K), Sept., 264

Soil tests

Ring shrinkage test for expansive clays: a suggested simple test method for det r-mining vertical, lateral, and volumetric shrinkage potential (Hanafy, EADE), March, 69

Statnamic method

Interpretation of lateral statnamic load test results (El Naggar, MH), Sept., 169

Strain

Computer vision-based technique to measure displacement in selected soil tests (Obaidat, MT and Attom, MF), March, 31

Influence of viscous fluids on properties of sand (Zeng, X, Wu, J, and Young, BA), March, 45

Swelling

Ring shrinkage test for expansive clays: a suggested simple test method for determining vertical, lateral, and volumetric shrinkage potential (Hanafy, EADE), March, 69

T

Temperature

Development of an accelerated creep testing procedure for geosynthetics, Part II: Analysis (Farrag, K), March, 38

Tension piles

Design and performance of soil-pile-slip test apparatus for tension piles (Reddy, ES, Chapman, DN, and O'Reilly, M), June, 132

Tires

Assessment of damage to geomembrane liners by shredded scrap tires (Reddy, KR, and Saichek, RE), Dec., 307

Tomography

Application of computer-assisted tomography in the analysis of fracture geometry (Walters, DA, Wong, RCK, and Kantzas, A), Dec., 328

V

Volume change

Simplified method for assessment of volume change behavior of rockfill material (Thallak, SG, Nagaraj, TS, and Yaligar, P), June, 144

W

Water retention

New apparatus for measuring oxygen diffusion and water retention in soils (MacKay, PL, Yanful, EK, Rowe, RK, and Badv, K), Dec., 289

Wave propagation

Generation of progressive fluid waves in a geo-centrifuge (Sekiguchi, H, Kita, K, Sassa, S, and Shimamura, T), June, 95

Well seals

Discussion on "ultrasonic method for evaluation of annular seals for wells and instrumented holes" by N. Yesiller, T. B. Edil, and C. H. Benson (Chapuis, RP), Dec., 370